



# Build What You Imagined





**DYNAMIC ROOFING SOLUTIONS INDIA**  
**BUILD WHAT YOU IMAGINED.**

## About Us

With 16 years of experience, We have built a Reputation for delivering Quality products & services.

A beautiful roof is a reflection of your style. Our Comprehensive range of roofing products and accessories allows you to choose a products that insures safety, comfort & Peace of mind.

## Mission

Our Mission is deliver high and quality, Valued added product at an affordable price. All servies are provided in an efficient, simple and honest manner





**DYNAMIC ROOFING SOLUTIONS INDIA**  
**BUILD WHAT YOU IMAGINED.**

# Dynamic Roofing Asphalt shingles

Transform your roof with our high-performance shingles-where durability meets style.



## Everlasting Shine

There is no life for black streaks from algae in Dynamic Roofing Shingles. The shingles containing algae resistant safeguards the roofs shining surface, and gives your house a dreamy outlook!

## Toughness

Dynamic Roofing Shingles. shields your home from drastic weather conditions with its wind limited guarantee.

## Specification

Length	950 + 25 mm
Weight	26 kg / bundle
Square Bundle	2.10 m <sup>2</sup> / bundle
Packing	14 pcs / bundle, Shrink wrap with pallet
Pallet Width	330 ± 3 mm
Thickness	5.0 ± 0.2 mm
Wind Resistance	110 Kph

**A Product of South Korea**



## Durability


Our sheets are estimated to hold for a life time.



## Colours



COOL GREY



CHARCOAL BLACK



AUTUMN BROWN



BLUE HEMP



SPANISH RED



DESERT GOLDEN

NOTE: Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

**A Product of South Korea**



**DYNAMIC ROOFING SOLUTIONS INDIA**  
**BUILD WHAT YOU IMAGINED.**

# Dynamic Roofing Stone Coated Metal Roof Tile



## Multi-Layers protection, Super durability

With high-strength galvanized steel sheet as the basic material and Multi-Layers protection, it has excellent durability. Therefore, it is rated as the best roofing material.

### CONSTRUCTION OF STONE COATED METAL ROOF TILE

#### Acrylic glazing layer

improve the luminosity and adhesion of the colored stone and prevent rainwater from penetrating into it

#### Colorful stone layer

block ultraviolet rays, reduce rain noise, and improve decoration function.

#### Acrylic adhesive bonding layer

bonding the upper and lower layers to provide protection for the bottom layer.

#### Protective layer

Protect the aluminum-zinc layer to enhance corrosion resistance and paintability

#### Aluminum-zinc-plated layer


strong corrosion resistance, high heat reflectivity. prolong product life and energy saving.

#### Steel base layer

Cold rolled high-strength steel plate.

#### Protective layer

Protect the aluminum-zinc layer to enhance corrosion resistance



**A Product of South Korea**

## CHARACTERISTICS OF STONE COATED METAL ROOF TILE

### 1. Earthquake resistance

when earthquake occurs, it won't fall like general tile, thus reduces injury case

### 2. Lightweight

1/8 of the weight of normal ceramic or cement tile which makes it much cheaper to transport and easier to install.

### 3. Convenient construction

Light weight, large area, simple accessories, flexible and easy to cut greatly reduce the construction strength, shorten construction time, construction at low temperatures also allowed.

### 4. Economical cost

it can be applied directly to the roof of the old building, without any original roofing material removed, so that minimize waste disposal costs.

### 5. Energy saving and Environmental protection

Heat reflectivity is 1.4-7 times the normal roofing material which is much better for energy conservation; Usage of environmentally friendly material will do no harm for people and environment

### 6. Elegant appearance

A variety of colors and styles enriches building decoration and makes it more beautiful than common tiles.

### 7. Long lifetime

25-year limited warranty with features of Water resistance, Thermal insulation, Sound insulation, Cold tolerance, Pressure resistance, Fireproof and Windproof



## Product Parameters

Name	Stone coated metal roof tile
Design	Bond
Specifications	1340mm×420mm
Installed Exposure	1290mm×370mm
Coverage Area	0.477m <sup>2</sup>
Weight	2.2-3.5kg/piece

NOTE: Actual product colors may vary slightly from the colors shown in the catalogue. If color is critical for you, please request full-size samples before making your final choice.

**A Product of South Korea**



Modelo   Model   Modèle		Modelo   Model   Modèle		Modelo   Model   Modèle	
	Roja Red <i>Rouge</i>		Cor-Ten		Sorento
	Roja envejecida Aged Red <i>Rouge Vieilli</i>		Marés		Siena
	Alameda		Nuance		Chocolate Chocolate <i>Chocolat</i>
	Carnival		Pastel		Negra Black <i>Noire</i>

## Klinker Performance

- **High mechanical strength**, exceeding the mechanical strength requirements set by the standard by more than 200%
- **Ideal for high mountain climates** withstanding over 500 frost resistance cycles.
- **Fully waterproof** in compliance with European regulations, with water absorption values of 6,5%



**A Product of Spain**

# Klinker Plana Tiles




The Klinker Flat roof tile seamlessly merges the timeless elegance of a clay flat tile with the contemporary appeal of a sleek design, characterized by its refined simplicity. The precision-engineered lines and finely textured surface facilitate the creation of aesthetically harmonious roofscapes. Its exceptional performance attributes, including extremely low water absorption, strong flexural strength, and high frost resistance, it as a premium-grade roofing solution.



Red




Volcano



Chocolate



Grey



Black



**A Product of Spain**

# ONDUVILLA®



ONDUVILLA® is a unique solution with a very aesthetic traditional clay tiles look. Perfectly waterproof - ONDUVILLA® is light weight and provides a very elegant appearance to all types of roofs. ONDUVILLA® can cover new roofs or be used to renovate an existing roof



**Individual  
& collective housing**



**Leisure  
housing**



**Commercial buildings  
and resorts**



**Renovation**



Aesthetic



Lightweight



High Wind  
Resistant



Flexible



45% to 50 %  
Recycled content

## Specifications

LENGTH	400 mm [-0.1 ; +0.4 cm]
WIDTH	1070 mm [± 2.5 cm]
THICKNESS	3 mm [-10 % ; +10 %]
HEIGHT OF CORRUGATION	38 mm [± 2 mm]
WEIGHT PER m <sup>2</sup>	3 kg / m <sup>2</sup> [-10 % ; +10 %]
WEIGHT PER TILE	1.3 kg [± 0.1 kg]
# CORRUGATIONS	6


## Colours



Shaded Red



Shaded Brown



Anthracite Black



Shaded Green

**Made In France**

**ONDUVILLA®**



**Made In France**



**DYNAMIC ROOFING SOLUTIONS INDIA**  
**BUILD WHAT YOU IMAGINED.**

# Dynamic Roofing Synthetic Artificial Thatch



**Straw Yellow**



**Straw grey**



**Straw lite Yellow**

Blends the timeless charm of natural thatch with modern durability. Known for innovation and reliability, Delivers tailored, high-quality roofing solutions, specializing in the hospitality sector and residential projects.

High-Density Polymer (HDPE) thatch tiles, made from synthetic resin with fibers and anti-aging agents, offering a durable, low-maintenance alternative to natural thatch. Brings a retro, pastoral charm ideal for resorts, villas and hotels. Resistant to UV rays, pests and corrosion, HDP thatch maintains a fresh and natural appearance, adding serene beauty and lasting performance to any thatched roof.



# Dynamic Roofing

## AIR BUBBLE INSULATION

Air Bubble insulation provides excellent thermal insulation to Pre-Engineered Buildings with extra benefits of water proofing and good insulation properties.

To maintain comfort, the heat lost in the winter must be replaced by your heating system and the heat gained in the summer must be removed by your cooling system. Properly insulating your home will decrease this heat flow by providing an effective resistance to the flow of heat.

The products are highly admired by the customers for their long service life, easy to use, high quality and excellent finishing standards.

**AIR BUBBLE INSULATION** is regularly used in many green buildings across the country. It is a new generation material that has the ability to handle numerous insulation issues that can arise, such as heat, cold, noise and condensation.



### Benefits

- Length to suit your requirement.
- 97% Radiant heat reflection
- 13% low emissivity
- Simple & quick installation
- 100% recyclable
- Light weight
- Non toxic non itchy
- Environment friendly
- Cost effective

### Dimension

- Length of Roll: 40 mtr.
- Width of Roll: 1.2 mtr.
- Thickness : 10 mm, 12 mm

## XLPE INSULATION

### Benefits


- Length to suit your requirement.
- 97% Radiant heat reflection
- 16% low emissivity
- Simple & quick installation
- 100% recyclable
- Light weight
- Non toxic non itchy
- Environment friendly
- Cost effective

### Dimension

- Length of Roll: 30/45 mtr.
- Width of Roll: 1.25 mtr.
- Thickness : 13/9 mm



# Dynamic Roofing XPE FOAM



**Thermal Conductivity – 0.0314 W/MK at 23° C**

**Passes BS 476 Part 6 Class O and Part 7 Class 1**

**CFC/ HCFC and ROHS Free**

**Passes Fire & Smoke Characteristics as per EN 45545-2**



Resistant Vapor Barrier



Sound Absorption



Environment Friendly



100% Mold & Mildew Proof



Impact Resistant

# Dynamic Roofing Rain Gutter



## Basic Components

### Rain Gutter:

This is a narrow channel or through, forming the component of a roof system which collects and diverts rainwater shed the roof.

### Rain Pipe:

Water collected by a rain gutter is fed usually via a rain pipe from the roof edge to the base of the building where it is either discharged or collected.



External - 135°



Internal - 135°



Internal - 90°



External - 90°



Gutter Outfit



Down Pipe



Pipe Socket



65° Elbow



90° Elbow



65° Diverter



STR Converter



Metal Hanger



90° Diverter



Hanger



Down Pipe Clip



End Clip



Connector





Gutter Chain



Leaf Guard

# Dynamic Roofing Rain Gutter



Can withstand water drain speeds up to three times that of normal gutter



Light Weight



Requires minimum or no maintenance



Does not dent, rust, rot peel or become brittle



Self aligning design ensures accurate installation



Suitable for any type of extreme climates



Entire range of accessories are available



Easy to cut & install



**DYNAMIC ROOFING SOLUTIONS INDIA  
BUILD WHAT YOU IMAGINED.**

✉ +91 99886 61116

☎ info@dynamicroofingsolutionindia

🌐 dynamicroofingsolutionsindia.com